

DPX³ MCCB

DPX³ MCCB with thermal magnetic protection unit

- Range: 16A – 1250A, Ics=100%Icu, Four Optimum Frames
- Thermal Adjustable – 0.8 to 1In, Magnetic Adjustable** – 5 to 10In
- Breaking Capacity# – 16kA, 25kA, 36kA, 50kA, 70kA & 100kA
- Option for In built or add on module for Earth Leakage Protection##
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Suitable for Isolation

** Fixed at 10In for DPX³ 160

Refer Catalogue for frame wise data

For DPX³ 160, DPX³ 250 and DPX³ 630 Only

Category	Type	Rated Current (A)	3P			4P		
			Cat.Nos	MRP*/₹/Unit	Pack	Cat.Nos	MRP*/₹/Unit	Pack

Thermal magnetic : O/L & S/C protection

16 KA	DPX ³ 160	16	4200 00	8080	1	4200 10	10770	1
		25	4200 01	8080	1	4200 11	10770	1
		40	4200 02	8080	1	4200 12	10770	1
		63	4200 03	8080	1	4200 13	10770	1
		80	4200 04	8080	1	4200 14	10770	1
		100	4200 05	8080	1	4200 15	10770	1
		125	4200 06	8740	1	4200 16	10840	1
		160	4200 07	11280	1	4200 17	14200	1
25 KA	DPX ³ 160	16	4200 40	9450	1	4200 50	13130	1
		25	4200 41	9450	1	4200 51	13130	1
		40	4200 42	9450	1	4200 52	13130	1
		63	4200 43	9450	1	4200 53	13130	1
		80	4200 44	9450	1	4200 54	13130	1
		100	4200 45	9450	1	4200 55	13130	1
		125	4200 46	13660	1	4200 56	16580	1
		160	4200 47	17760	1	4200 57	21120	1
	DPX ³ 250	200	4202 08	24540	1	4202 18	29650	1
		250	4202 09	28450	1	4202 19	38340	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with thermal magnetic protection unit

Category	Type	Rated Current (A)	3P			4P		
			Cat.Nos	MRP*/₹/Unit	Pack	Cat.Nos	MRP*/₹/Unit	Pack
Thermal magnetic : O/L & S/C protection								
36 KA	DPX³ 160	16	4200 80	11970	1	4200 90	14940	1
		25	4200 81	11970	1	4200 91	14940	1
		40	4200 82	11970	1	4200 92	14940	1
		63	4200 83	11970	1	4200 93	14940	1
		80	4200 84	11970	1	4200 94	14940	1
		100	4200 85	11970	1	4200 95	14940	1
		125	4200 86	14040	1	4200 96	18320	1
		160	4200 87	18080	1	4200 97	21290	1
	DPX³ 250	200	4202 38	30930	1	4202 48	39110	1
		250	4202 39	34320	1	4202 49	41880	1
	DPX³ 630	320	4220 01	41440	1	4220 06	47070	1
		400	4220 02	41440	1	4220 07	48100	1
		500	4220 03	49860	1	4220 08	59310	1
		630	4220 04	49860	1	4220 09	60830	1
	DPX³ 1600	800	4222 52	76090	1	4222 57	88490	1
		1000	4222 53	96910	1	4222 58	125540	1
		1250	4222 54	138470	1	4222 59	151030	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with thermal magnetic protection unit

Category	Type	Rated Current (A)	3P			4P		
			Cat.Nos	MRP*/₹/Unit	Pack	Cat.Nos	MRP*/₹/Unit	Pack
Thermal magnetic : O/L & S/C protection								
50 KA	DPX³ 160	16	4201 20	15940	1	4201 30	20090	1
		25	4201 21	15940	1	4201 31	20090	1
		40	4201 22	15940	1	4201 32	20090	1
		63	4201 23	15940	1	4201 33	20090	1
		80	4201 24	15940	1	4201 34	20090	1
		100	4201 25	15940	1	4201 35	20090	1
		125	4201 26	20900	1	4201 36	24080	1
		160	4201 27	23520	1	4201 37	27360	1
	DPX³ 250	200	4202 68	37480	1	4202 78	47350	1
		250	4202 69	39560	1	4202 79	49250	1
	DPX³ 630	320	4220 15	44990	1	4220 20	54840	1
		400	4220 16	45960	1	4220 21	54840	1
		500	4220 17	56890	1	4220 22	71850	1
		630	4220 18	56890	1	4220 23	73670	1
	DPX³ 1600	800	4222 64	83770	1	4222 69	104510	1
		1000	4222 65	127510	1	4222 70	147510	1
		1250	4222 66	187320	1	4222 71	196680	1
70 KA	DPX³ 250	100	4206 05	32830	1	4206 15	36240	1
		160	4206 07	41020	1	4206 17	51000	1
		200	4206 08	50510	1	4206 18	62150	1
		250	4206 09	53680	1	4206 19	64700	1
	DPX³ 630	320	4220 29	52630	1	4220 34	65180	1
		400	4220 30	52640	1	4220 35	65180	1
		500	4220 31	68650	1	4220 36	88450	1
		630	4220 32	72150	1	4220 37	88450	1
	DPX³ 1600	800	4222 76	133890	1	4222 81	155220	1
		1000	4222 77	200760	1	4222 82	284260	1
		1250	4222 78	205680	1	4222 83	327780	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
 ■ Price available on request.

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
 Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
 Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

Category	Type	Rated Current (A)	3P			4P		
			Cat.Nos	MRP*/₹/Unit	Pack	Cat.Nos	MRP*/₹/Unit	Pack

Only magnetic

16 KA	DPX ³ 160	16	4207 10	15670	1	-	-	-
		25	4207 11	15670	1	-	-	-
		50	4207 12	15670	1	-	-	-
		63	4207 13	15670	1	-	-	-
25 KA	DPX ³ 160	16	4207 14	17820	1	-	-	-
		25	4207 15	17820	1	-	-	-
		50	4207 16	17820	1	-	-	-
		63	4207 17	17820	1	-	-	-
36 KA	DPX ³ 250	100	4207 18	30970	1	-	-	-
		160	4207 19	30970	1	-	-	-
		200	4207 20	32750	1	-	-	-
		250	4207 21	34520	1	-	-	-
70 KA	DPX ³ 250	100	4207 22	30270	1	-	-	-
		160	4207 23	30270	1	-	-	-
		200	4207 24	32160	1	-	-	-
		250	4207 25	34050	1	-	-	-

Accessories

Type	Rotary handle				Shunt release											
	Direct		Vary depth		12 V		24 V		48 V		110 V		230 V		400 V	
	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX³ 160 DPX³ 250	4201 60	1540	4201 61	2230	4210 12	3000	4210 13	3000	4210 14	3000	4210 15	3000	4210 16	3000	4210 17	3000
DPX³ 630	4201 62	2470	4201 63	4240	-											
DPX³ 1600	0262 61	5170	0262 83	7930												

Type	U/V release													
	12 V		24 V		48 V		110 V		230 V		400 V		480 V	
	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX³ 160 DPX³ 250	4210 18	3760	4210 19	3760	4210 20	3760	4210 21	3720	4210 22	3720	4210 24	3720	4210 25	3720
DPX³ 630 DPX³ 1600	-		4222 45	4520	4222 46	4520	4222 47	4480	4222 48	4480	4222 49	4480	-	

Type	Rated Current (A)	Spreaders**				Motor Operator									
		3P (Set of 3)		4P (Set of 4)		24-230V Side		24V		48V		110V		230V	
		Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX³ 160		6250 02	850	6250 06	1150										
DPX³ 250		6250 14	850	6250 18	1150										
DPX³ 630	Upto 400 A	4226 31	1720	4226 32	2290	-		0261 40	■	0261 41	■	-		0261 44	62010
	630 A	6250 04	2040	6250 08	2620										
DPX³ 1600	Upto 1250 A	4226 24	12260	4226 25	14890	-		0261 24	■	0261 25	■	0261 26	71800	0261 23	71800
	1600 A	0262 73	31950	0262 74	33700										

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
■ Price available on request.

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DRX™ MCCB

Type and frame size	Rated Current (A)	Poles	Cat.Nos	MRP* ₹ / Unit	Pack
---------------------	-------------------	-------	---------	---------------	------

DRX MCCBs

DRX 100 Icu = 10 kA	63 A	3 Pole	0270 39	3870	1/12
	75 A	3 Pole	0270 07	3870	1/12
	100 A	3 Pole	0270 08	3870	1/12
	125 A	3 Pole	0270 09	5080	1/12
	63 A	4 Pole	0270 29	5570	1/12
	75 A	4 Pole	0270 17	5570	1/12
	100 A	4 Pole	0270 18	5570	1/12
	125 A	4 Pole	0270 19	5990	1/12

Description	Cat.Nos	MRP* ₹ / Unit	Pack
-------------	---------	---------------	------

DIN rail adaptor

DRX 100	0271 87	530	1
---------	---------	-----	---

Rotary handles - direct

DRX 100	6687 70	1330	1
---------	---------	------	---

Rotary handles - vary-depth

DRX 100	6687 71	2030	1
---------	---------	------	---

Padlocking support for operating handle

DRX 100	0271 80	1810	1
---------	---------	------	---

Connection accessories

Set of 2 shields for 3 pole	0271 81	130	1
-----------------------------	---------	-----	---

Sealable terminal shields (moulded shrouds)

For DRX 100 - 3 pole	0271 83	1730	1
For DRX 100 - 4 pole	0271 84	1620	1

Cage terminals

For DRX 100 - 3 pole	0271 71	350	1
For DRX 100 - 4 pole	0271 73	330	1

Electrical accessories

Block with 1 auxiliary (1 AUX)	0271 40	1160	1
Block with 1 alarm (1 AL)	0271 41	1160	1
Block with 1 auxiliary + 1 alarm (1 AUX + 1 AL)	0271 42	2020	1

Current shunt coils

200/277 V~ and =	0271 54	2500	1
380/480 V~ and =	0271 55	2500	1

Undervoltage release coils

200/240 V~	0271 64	3470	1
380/415 V~	0271 65	3470	1

DRX spreader links

3 Links set for TP	6250 10	290	1
4 Links set for FP	6250 11	420	1


Metal one way enclosures for MCCB

Cat.Nos	Description	No. of modules	MRP* ₹ / Unit	Pack
5078 05	DRX 100 MCCB enclosure-TP	3	2762	1
5078 06	DRX 100 MCCB enclosure-FP	3	2762	1


* MRP - Maximum Retail Price Inclusive of all taxes including GST.

BUSBAR TRUNKING SYSTEM

FOR INDUSTRIAL, COMMERCIAL, RESIDENTIAL AND SERVICE SECTOR BUILDINGS



Exclusive features



Low Power (25 A, 40 A, 63 A)

- Lighting busway
- 2, 4 & 6 pole
- IP 55 protection
- Tap off units at each 0.5 mt interval
- Copper busbars



Medium Power (63 A - 1000 A)

- Riser mains application
- IP 40, IP 52, IP 55 protection
- Tap off units at each 1 mt interval
- Aluminium & copper busbars



Cast Resin Busbar (630 A - 6300 A)

- Fully insulated with epoxy resin
- IP68 suited for outdoor
- Industrial plants, Petrochemical plants, Chemical plants in areas with risk of flooding.



Super Compact (630 A - 6300 A)

- Sandwich type construction
- IP 65 protection
- Tap off boxes at each 1 mt interval
- Aluminium & copper busbars



Scan to know more about the product.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.